

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	, FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/621,052	07/15/2003	Jonathan Colwell	50743/WPC/C1000	8811	
23363 75	590 06/23/2005		EXAM	EXAMINER	
CHRISTIE, PARKER & HALE, LLP			HSIEH, SH	HSIEH, SHIH YUNG	
PO BOX 7068 PASADENA, CA 91109-7068			ART UNIT	PAPER NUMBER	
			2837		
			DATE MAILED: 06/23/2005	DATE MAILED: 06/23/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summany	10/621,052	COLWELL, JONATHAN				
Office Action Summary	Examiner	Art Unit				
	Shih-yung Hsieh	2837				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 13 Ju	ne 2005.	·				
	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
·						
	 ✓ Claim(s) 1-7 is/are pending in the application. ✓ 4a) Of the above claim(s) is/are withdrawn from consideration. 					
Claim(s) 7 is/are allowed.						
6)⊠ Claim(s) <u>1-6</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner	. 4					
10) The drawing(s) filed on is/are: a) acce		Examiner.				
Applicant may not request that any objection to the o						
Replacement drawing sheet(s) including the correction	- · · · · · · · · · · · · · · · · · · ·	• •				
11)☐ The oath or declaration is objected to by the Exa		• •				
Priority under 35 U.S.C. § 119						
12)☐ Acknowledgment is made of a claim for foreign a)☐ All b)☐ Some * c)☐ None of:		-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents						
3. Copies of the certified copies of the priori		d in this National Stage				
application from the International Bureau		a				
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal Pa	te atent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:	(1 10 10 <u>1</u>)				

Application/Control Number: 10/621,052

Art Unit: 2837

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Headen (4,603,606) in view of Leu (5,020,398).

Regarding claims 1 and 2, Headen discloses an apparatus comprising a shaft (16) having two ends and including a socket opening (100) in at least one end of the shaft; and a handle (26) connected to the shaft by a unidirectional bearing (20, and col. 4, lines 54-55) except that a second socket opening in the other end of the shaft, and the handle is connected an intermediate distance along the shaft.

Leu teaches a wrench having a second socket opening (40c) in an other end of a shaft (32) and a handle (34 or 46) connected an intermediate distance along the shaft for providing sockets of varying sizes and for increased torque (col. 1, lines 43-44, and col. 2, line 15). It would have been obvious to one having ordinary skill in the art to modify Headen's apparatus as taught by Leu to include a second socket opening in the other end of the shaft and the handle being connected an intermediate distance along the shaft for the purpose of providing sockets of varying sizes and for increased torque.

Regarding claim 3, Headen discloses the claimed invention (Figs. 4 and 5).

Application/Control Number: 10/621,052 Page 3

Art Unit: 2837

3. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Usuda (5,689,076) in view of Headen.

Regarding claim 4, Usuda discloses a drum key comprising a shaft (the portion above socket 44 shown in Fig. 4) including a socket opening (44) in at least one end of the shaft (Fig. 4); and a handle (42) connected to the shaft; wherein the socket opening can engage the terminal end of the tension rod.

The different between Usuda's drum key and claim 4 is that claim 4 recites a handle connected to the shaft by a unidirectional bearing.

Headen teaches a handle connected to a shaft by a unidirectional bearing for improving torque application system and for directional torque transmission (col. 2, lines 67-68, and col. 3, lines 1-3). It would have been obvious to one having ordinary skill in the art to modify Usuda's drum key as taught by Headen to include a handle connected to the shaft by a unidirectional bearing for the purpose of improving torque application system and for directional torque transmission.

Regarding claims 5 and 6, see above reasoning and statement addressing claims 2 and 3.

- 4. Claim,7 is allowed.
- 5. Applicant's arguments with respect to claims 1-3 have been considered but are moot in view of the new ground(s) of rejection.

6. Applicant's arguments filed 6/13/2005 have been fully considered but they are not persuasive.

The applicant argued that "the teaching of the need to improve torque alone is insufficient to direct one of the ordinary skill in the art to combine specific teachings.

The examiner disagrees. The teaching of the need to improve torque alone is sufficient to direct one of the ordinary skill in the art to combine specific teachings of the references.

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Application/Control Number: 10/621,052

Art Unit: 2837

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shih-yung Hsieh whose telephone number is 571-272-2065. The examiner can normally be reached on 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on 571-272-2107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

syh

SHIH-YUNG HSIEH PRIMARY EXAMINER

Page 5